

Amendments to the Claims

This listing of claims will replace all prior listings of claims in the application.

Listing of Claims

1. (Currently Amended) An aluminum alloy structural plate excelling in strength and corrosion resistance, comprising, in mass %, 4.8-7% Zn, 1-3% Mg, 1-2.5% Cu, and 0.05-0.25% Zr, with the remaining portion consisting of Al and impurities, wherein the aluminum alloy structural plate has a thickness of from 1-1.5 mm and has a structure containing 25% or more of grain boundaries with misorientations of 3-10° at the plate surface.

2. (Previously Presented) The aluminum alloy structural plate of Claim 1, wherein the average grain size is 10 μ m or less at the plate surface.

Claims 3-5 (Cancelled).